DIALOG(R)File 351: Derwent WPI

(c) 2008 The Thomson Corporation. All rights reserved.

0010586716

WPI Acc no: 2001-191763/ XRAM Acc no: C2001-057586 XRPX Acc No: N2001-136252

Two-part bicarbonate containing solution and storage method useful as peritoneal dialysis solutions comprises e.g. sodium bicarbonate, sodium chloride, sodium lactate, glucose and calcium chloride

Patent Assignee: BALTEAU P (BALT-I); BAXTER INT INC (BAXT); DUPONCHELLE A (DUPO-I); FAICT D (FAIC-I); HARTMAN J (HART-I); MARTIS L (MART-I); PELUSO F (PELU-I)

Inventor: BALTEAU P; DUPONCHELLE A; FAICT D; HARTMAN J; HARTMAN J P; MARTINS L; MARTIS L;

Patent Family: 17 patents, 37 countries

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
WO 2001017534	A1	20010315	WO 2000US20486	Α	20000727	200119	В
AU 200063842	Α	20010410	AU 200063842	Α	20000727	200137	E
EP 1131077	A1	20010912	EP 2000950792	Α	20000727	200155	E
			WO 2000US20486	Α	20000727		
US 6309673	B1	20011030	US 1999393743	Α	19990910	200172	E
US 20020012707	A1	20020131	US 1999393743	Α	19990910	200210	E
No. continuos de la continuo della c			US 2001918328	Α	20010730		
CN 1336825	A	20020220	CN 2000802654	A	20000727	200235	E
US 6475529	B2	20021105	US 1999393743	Α	19990910	200276	E
The Market and a second			US 2001918328	Α	20010730		
JP 2002370988	Α	20021224	JP 2001167510	Α	20010601	200315	NCE
BR 200102326	Α	20030401	BR 20012326	Α	20010608	200332	NCE
AU 779950	B2	20050224	AU 200063842	Α	20000727	200520	E
CN 1147304	С	20040428	CN 2000802654	Α	20000727	200610	E
TW 230068	B1	20050401	TW 2000117049	Α	20000824	200634	E
EP 1131077	В1	20060913	EP 2000950792	Α	20000727	200661	E
		alestan algorithms and an annual and an annual and an annual and an an annual and an an annual and an an an an	WO 2000US20486	Α	20000727		
DE 60030682	E	20061026	DE 60030682	Α	20000727	200672	E
			EP 2000950792	Α	20000727		
			WO 2000US20486	Α	20000727		
ES 2272304	Т3	20070501	EP 2000950792	Α	20000727	200731	E
IN 200504509	P1	20070427	WO 2000US20486	Α	20000727	200737	E
			IN 2001DN428	Α	20010522		
· Assaulty sales a seek for formation and sales			IN 2005DN4509	Α	20051004		
DE 60030682	T2	20070906	DE 60030682	A	20000727	200760	E
			EP 2000950792	A	20000727		
			WO 2000US20486	Α	20000727		

Priority Applications (no., kind, date): US 1999393743 A 19990910; JP 2001167510 A 20010601; BR 20012326 A 20010608; US 2001918328 A 20010730

The state of the s			Р	atent D	Petails	The second secon		
Patent Number	Kind	Lan	Pgs	Draw	Filing I	Notes		
WO 2001017534	A1	EN	31	4				
National Designated States,Original	AT AU BR CA CH CN DE DK ES GB ID IN JP KR MX PT SE SG							
Regional Designated States,Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE							
AU 200063842	A	EN			Based on OPI patent	WO 2001017534		
EP 1131077	A1	EN			PCT Application	WO 2000US20486		
					Based on OPI patent	WO 2001017534		
Regional Designated States,Original	AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI							
US 20020012707	A1	EN			Division of application	US 1999393743		
					Division of patent	US 6309673		
US 6475529	B2	EN			Division of application	US 1999393743		
SASSAN SOME SIZE OF A SAME AND A					Division of patent	US 6309673		
JP 2002370988	Α	JA	16					
BR 200102326	Α	PT						
AU 779950	B2	EN			Previously issued patent	AU 200063842		
					Based on OPI patent	WO 2001017534		
TW 230068	B1	ZH						
EP 1131077	B1	EN			PCT Application	WO 2000US20486		
					Based on OPI patent	WO 2001017534		
Regional Designated States,Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE							
DE 60030682	E	DE			Application	EP 2000950792		
					PCT Application	WO 2000US20486		
AND THE RESERVE OF THE PROPERTY OF THE PROPERT					Based on OPI patent	EP 1131077		
					Based on OPI patent	WO 2001017534		
ES 2272304	Т3	ES			Application	EP 2000950792		
					Based on OPI patent	EP 1131077		
IN 200504509	P1	EN			PCT Application	WO 2000US20486		
The state of the s					Division of application	IN 2001DN428		
DE 60030682	T2	DE			Application	EP 2000950792		
					PCT Application	WO 2000US20486		
					Based on OPI patent	EP 1131077		
					Based on OPI patent	WO 2001017534		

NOVELTY - Two-part bicarbonate containing solution comprises a first part housed in a first container including an alkaline bicarbonate concentrate of pH 8.6-10.0 and a second part housed in a second container including an acidic concentrate of pH 1.0-3.0. The pH is selected so that when the two parts are mixed, the combined solution has a pH of 6.5-7.6.

DESCRIPTION - INDEPENDENT CLAIMS are included for a multi-chamber container for storing the two parts and stabilizing bicarbonate solutions by storing them in the multi-chamber container.

ACTIVITY - Nephrotropic.

No biological data given.

MECHANISM OF ACTION - None given.

USE - The solution is used in peritoneal dialysis using the patient's own peritoneum as a semipermeable membrane or hemofiltration, fluid is removed using a suitable osmotic gradient from the blood to the dialysate to permit water outflow from the blood. The balanced electrolyte solution is necessary to balance the water as an excessive amount of plasma water is eliminated by filtration. The present invention offers a method for storing and stabilizing bicarbonate-based peritoneal dialysis solutions.

ADVANTAGE - The solution does not require addition of carbon dioxide or the use of an expensive gas barrier material, nor is an organic acid needed. The invention allows for the production of sterile bicarbonate-based peritoneal solutions in a manufacturing plant at very low cost and to ship a chemically stable product to the hospital or patient's home. The two-part solution is stable for more than six months and is ready-to-use.

DESCRIPTION OF DRAWINGS - The figure illustrates a multi-chamber bag for storing a two-part bicarbonate solution. To mix the solution within the chambers the frangible connector must be broken.

- 10 Multi-chamber container
- 12 First chamber
- 14 Second chamber
- 16 Heat seal dividing the interior of the container
- 18 A frangible connector between the first and second chambers

Technology Focus

ORGANIC CHEMISTRY - Preferred Composition: The solution comprises an osmotic agent selected from glucose, glucose polymers, modified starch, amino acids, peptides and glycerol. The alkaline bicarbonate solution comprises sodium chloride, sodium lactate and sodium bicarbonate. The acidic concentrate comprises glucose, calcium chloride, magnesium chloride and an acid.

INORGANIC CHEMISTRY - Preferred Composition: The mixed solution comprises (mM): bicarbonate (5-45), calcium (0.2-2.0), sodium (100-150), magnesium (0-1.5), potassium (0-4.5), chloride (70-120), lactate (0-60) and acetate (0-60). The pH of the bicarbonate concentrate is adjusted with a base from pH 8.0-8.4 to 8.6-10 and the acid concentrate is adjusted with an acid to decrease the pH from 4.0-7.0 to 1.0-3.0. The container is constructed from a gas permeable material and is steam sterilized.

I. Original Publication Data by Authority

Original Abstracts:

The present invention provides devices and methods for stabilizing bicarbonate-based solutions for peritoneal dialysis or hemofiltration. The bicarbonate-based solutions of the present invention are formulated and stored in at least two parts - an alkaline bicarbonate concentrate and an acidic concentrate. The alkaline bicarbonate concentrate is adjusted to have a pH of about 8.6 to 10.0. The acidic concentrate is adjusted to have a stable, acidic pH ranging from about 1.0 to 3.0. Upon mixing, although some variation in the pH of the mixed bicarbonate solution exists, the inventors have discovered that with the appropriate selection of the parameters of the concentrates, the pH of the mixed solution is always within an acceptable physiological range.

The present invention provides devices and methods for stabilizing bicarbonate-based solutions for peritoneal dialysis or hemofiltration. The bicarbonate-based solutions of the present invention are formulated and stored in at least two parts--an alkaline bicarbonate concentrate and an acidic concentrate. The alkaline bicarbonate concentrate is adjusted to have a pH of about 8.6 to 10.0. The acidic concentrate is adjusted to have a stable, acidic pH ranging from about 1.0 to 3.0. Upon mixing, although some variation in the pH of the mixed bicarbonate solution exists, the inventors have discovered that with the appropriate selection of the parameters of the concentrates, the pH of the mixed solution is always within an acceptable physiological range.

The present invention provides devices and methods for stabilizing bicarbonate-based solutions for peritoneal dialysis or hemofiltration. The bicarbonate-based solutions of the present invention are formulated and stored in at least two parts--an alkaline bicarbonate concentrate and an acidic concentrate. The alkaline bicarbonate concentrate is adjusted to have a pH of about 8.6 to 10.0. The acidic concentrate is adjusted to have a stable, acidic pH ranging from about 1.0 to 3.0. Upon mixing, although some variation in the pH of the mixed bicarbonate solution exists, the inventors have discovered that with the appropriate selection of the parameters of the concentrates, the pH of the mixed solution is always within an acceptable physiological range.

The present invention provides devices and methods for stabilizing bicarbonate-based solutions for peritoneal dialysis or hemofiltration. The bicarbonate-based solutions of the present invention are formulated and stored in at least two parts--an alkaline bicarbonate concentrate and an acidic concentrate. The alkaline bicarbonate concentrate is adjusted to have a pH of about 8.6 to 10.0. The acidic concentrate is adjusted to have a stable, acidic pH ranging from about 1.0 to 3.0. Upon mixing, although some variation in the pH of the mixed bicarbonate solution exists, the inventors have discovered that with the appropriate selection of the parameters of the concentrates, the pH of the mixed solution is always within an acceptable physiological range.

The present invention provides devices and methods for stabilizing bicarbonate-based solutions for peritoneal dialysis or hemofiltration. The bicarbonate-based solutions of the present invention are formulated and stored in at least two parts - an alkaline bicarbonate concentrate and an acidic concentrate. The alkaline bicarbonate concentrate is adjusted to have a pH of about 8.6 to 10.0. The acidic concentrate is adjusted to have a stable, acidic pH ranging from about 1.0 to 3.0. Upon mixing, although some variation in the pH of the mixed bicarbonate solution exists, the inventors have discovered that with the appropriate selection of the parameters of the concentrates, the pH of the mixed solution is always within an acceptable physiological range.

L'invention concerne des dispositifs et des procedes permettant de stabiliser les solutions bicarbonatees destinees a la dialyse peritoneale ou a l'hemofiltration. Ces solutions bicarbonatees sont formulees et conservees en au moins deux parties, soit un concentre de bicarbonate alcalin et un concentre acide. Dans le concentre de bicarbonate alcalin, le pH est regle entre 8,6 et 10,0 environ. Le concentre acide est regle de maniere a presenter un pH stable acide compris entre 1,0 et 3,0. Les inventeurs ont decouvert que grace a une selection appropriee des parametres des concentres, le pH

apres melange de cette solution bicarbonatee, en depit de quelques variations, se situe toujours dans une plage physiologiquement acceptable,.

Basic Derwent Week: 200119